HOSPITAL ICU/CCU ELECTRICAL BED
MODEL: BA9900-WA3-9



Product Features:

- Zero scale function
- Bed exit alarm system and under bed light
- Digital Weighing Scale with segment LCD display and control by handset
- Backrest side rail with embedded control buttons
- Quick CPR release lever for flattening the backrest located at both sides of the bed
- Auto contour function to avoid patients slipping down while performing cardiac chair position
- Nurse handheld control with CPR button to neutralize bed position during emergency
- Nurse lock to lock out total or individual function of control buttons
- Hi-Lo, Backrest, Kneerest, Trendelenburg and Reverse Trendelenburg by electrical motorized
- Backrest with X-Ray Radio Translucent base complete with X-Ray cassette tray
- PE Head & Foot boards with locking mechanism for easy attachment, detachment and can be cleaned easily
- Split fold down PE safety side rails with one-hand operation
- Perforated mattress support base
- Steel bed frame with scratch and chip resistant baked epoxy powder coating
- Four high-quality 150mm diameter Twinwheel with central locking system
- Complete with 1 x SS telescopic IV drip pole with 2 hooks
- 6 provisions for IV pole attachment
- 4 provisions for monkey pole
- 2 Drainage bag holders provided
- PU bumper at 4 corners
- IV drip pole storage
- Safe weight load 250kg

All rights reserved by LKL Advance Metaltech Sdn. Bhd. © 2024.
Due to technological and design innovations, product specifications may be subject to change without prior notice.

HOSPITAL ICU/CCU ELECTRICAL BED
MODEL: BA9900-WA3-9




Control Buttons
Embedded Side Rail
(Inner & outer sides)



Twinwheel
with Central Locking




Under Bed Light



Backrest with
X-Ray Translucent Base



Handset Control Panel
with LCD Screen



Quick CPR Release Lever &
Drainage Bag Holder



Telescopic S/S IV Pole
(BX305-1)



Oxygen Cylinder Holder
(CWM0233-1)

Technical Specifications

- Backrest: 0º - 70º
- Hi-Lo: 488-788mm
- Legrest: 0º - 35º
- Kneerest: 0º - 20º
- Trendelenburg & Reverse Trendelenburg: -15 º to +15 º
- Auto contour
- Cardiac Chair Position
- Vascular Position
- Overall Approx. Dim(mm): 2273(L) x 1060(W) x 488-788(H)

Electrical System

- DC-actuator system (TUV & UL approval & EC60601-1)
- 24 VDC with built in back-up battery
- Input Voltage: 220 - 240V; 50Hz - 60Hz

All rights reserved by LKL Advance Metaltech Sdn. Bhd. © 2024.
Due to technological and design innovations, product specifications may be subject to change without prior notice.

HOSPITAL ICU/CCU ELECTRICAL BED
MODEL: BA9900-WA3-9

Accessories Included

- Pressure reducing mattress x 1 unit (BX415)
  Mattress Approx. Dim (mm): 1980(L) x 914(W) x 125(H)
- Telescopic IV Drip Pole with 2 hooks (Stainless steel) x 1 unit (BX305-1)
- Oxygen Cylinder Holder x 1 unit (CWM0233-1)


Optional Accessories



Monkey pulley
(BX910)



Portable monitor/
Defibrillator tray (C-DEFIB-08)



Orthopedic Frame
(BX601)

All rights reserved by LKL Advance Metaltech Sdn. Bhd. © 2024.
Due to technological and design innovations, product specifications may be subject to change without prior notice.